


Mortality in Bay County

2012 Bay County Community Health Assessment Data




The majority of deaths (**349**) among adults in Bay County were due to **Heart Disease**.

Cancer followed closely causing **269** deaths.


Source: Michigan Department of Community Health. 2009

Of the 349 deaths due to heart disease, **255** of them were among people **75 years of age or older**.

More women died from heart disease than men did.



Source: Michigan Department of Community Health. 2009




Source: Michigan Department of Community Health. 2009

Cancer was responsible for more deaths among **45-74** year olds.

The number of deaths caused by cancer among **males and females** are relatively equal.


Mortality in Bay County Continued

2012 Bay County Community Health Assessment Data




Source: Michigan Department of Community Health. 2009

Chronic Lower Respiratory Disease accounted for a total of **60 deaths** among Bay County adults. Of those, the **majority of deaths** occurred among **females 75 years and older**.



Source: Michigan Department of Community Health. 2009

A total of **53 deaths** from **strokes** occurred among Bay County adults in 2009. Of those, the **majority of deaths** occurred among **females 75 years and older**.



Source: Michigan Department of Community Health. 2009

Heart disease and cancer are the two leading causes of death for Bay County Residents. These deaths attribute to a **total of 3,929 years of potential life lost** for persons under 75 years of age.